# This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

### WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: G06F 17/30

(11) International Publication Number:

WO 98/41936

(43) International Publication Date: 24 September 1998 (24.09.98)

(21) International Application Number:

PCT/US98/00513

A1

(22) International Filing Date:

13 January 1998 (13.01.98)

(30) Priority Data:

08/819,419

17 March 1997 (17.03.97) US

(71) Applicant (for all designated States except US): FRANKEL & COMPANY [US/US]; 111 east Wacker Drive, Chicago, IL 60601 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): MANDEBERG, Richard, D. [US/US]; 2601 West Coyle Avenue, Chicago, IL 60645 (US). MOLESKI, Desmond, C., J. [US/US]; 627 North Marion Street, Oak Park, IL 60302 (US). ALMAGRO, Manolo, B. [US/US]; 3900 North Pine Grove #401, Chicago, IL 60613 (US). MEYER, Joseph, F. [US/US]; 333 East Ontario Street #2702-B, Chicago, IL 60611 (US).


(74) Agents: BIGEL, Mitchell, S. et al.; Myers, Bigel, Sibley, & Sajovec, L.L.P., P.O. Box 37428, Raleigh, NČ 27627 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT. UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

#### Published

With international search report.

(54) Title: SYSTEMS, METHODS AND COMPUTER PROGRAM PRODUCTS FOR GENERATING DIGITAL MULTIMEDIA STORE DISPLAYS AND MENU BOARDS



#### (57) Abstract

Digital multimedia presentations are assembled at a central location for stores. Start and end times are assigned. The digital multimedia presentations and the assigned start and end times are transmitted to and received at the stores. The received presentations are stored in digital multimedia players at the stores. Upon occurrence of an assigned start time, the associated digital multimedia presentation is automatically played in the store until the assigned end time. If a presentation is not available at a particular time, a generic default presentation is played. The presentations may be played at assigned start and end times until an expiration date, after which it is automatically deleted from the digital multimedia player. The digital multimedia presentations may be customized at the central location and/or at the stores. The present invention is particularly applicable for generating menu boards for an enterprise which includes multiple sites.

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM AT	Armenia			1.S	Lesotho	SI	Slovenia
AT		Fl	Finland	LT	Lithuania	SK	Slovakia
	Austria	FR	France	LU -	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Taiikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IB.	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda.
BY	Belarus	LS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP .	Japan	NE	Niger	VN	Vict Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	. NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand	Δ₩	Zantaowe
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal `		
CU	Cuba	KZ	Kazakstan	RO	Romania		
`CZ	Czech Republic	LC	Saint Locia	RU	Russian Federation		•
DE	Germany	u	Liechtenstein	SD	Sudan		•
DK	Denmark	LK	Sri Lanka	. SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

## SYSTEMS, METHODS AND COMPUTER PROGRAM PRODUCTS FOR GENERATING DIGITAL MULTIMEDIA STORE DISPLAYS AND MENU BOARDS

#### Field of the Invention

This invention relates to information processing systems, methods and computer program products, and more particularly to store systems, methods and computer program products.

#### Background of the Invention

Information processing systems, methods and computer program products are being increasingly used in the store environment. For example, information 10 processing systems may be used for inventory control, point-of-sale and accounting systems. Stores may include wholesale or retail stores or any other consumer environment such as movie theaters, airports, shopping malls, arenas, and other such venues. 15 Information processing systems continue to play an increasing role at restaurant chains such as "fast food" restaurant chains which include a large number of restaurant sites. Information processing control of distribution, promotion and other activities is 20 increasingly being used to coordinate the large number of restaurant sites.

With the advent of the personal computer, multimedia presentations are also increasingly being

10

15

Charles Charles

used in commercial and consumer environments.

Multimedia presentations may include text, graphics, audio and full motion digital video which are integrated into a single presentation.

Attempts have been made to use multimedia presentations in the store environment. See, for example, U.S. Patent 5,412,416 to Nemirofsky entitled "Video Media Distribution Network Apparatus and Method" and International Application WO 96/08113 to Cho et al. entitled "Point of Purchase Video Distribution System". See also the publication entitled "POS Goes Multimedia: Retailers Test New Applications" by Fox, Chain Store Age Executive, Vol. 71, No. 2, February, 1995, pp. 43-46. However, notwithstanding these attempts, there continues to be a need for improved systems, methods and computer program products for generating store displays.

#### Summary of the Invention

The present invention includes methods, 20 systems and computer program products for generating store displays for a plurality of stores. Digital multimedia presentations are assembled at a central location for the plurality of stores. Start and end times are assigned to the digital multimedia 25 presentations for the stores. The digital multimedia presentations and the assigned start and end times are transmitted to the plurality of stores and are received at the stores. The received digital multimedia presentations are stored in digital multimedia players 30 at the stores. Upon occurrence of an assigned start time, the associated stored received digital multimedia presentation is automatically played on a digital multimedia display in the store until occurrence of the assigned end time for the associated digital multimedia 35 presentation. Thus, digital networks and digital

15

20

30

35

multimedia presentations are used to effectively generate digital multimedia store presentations.

In a preferred embodiment of the present invention, a digital multimedia default presentation is also generated at the central location for the plurality of stores. The digital multimedia default presentation is free of (i.e. it does not include) a start time and an end time. The digital multimedia default presentation is transmitted, received and stored in the digital multimedia players at the stores. 10 At the stores, it is detected that an assigned end time for an associated digital multimedia presentation has occurred, and that a start time for a second digital multimedia presentation does not correspond to the assigned end time. Upon this occurrence, the digital multimedia default presentation is automatically played so that the digital multimedia display always plays a multimedia presentation. Similarly, it may be detected at the store that termination of a digital multimedia presentation has occurred prior to the assigned end time, for example because of an error or other reason. In this case, the digital multimedia default presentation is automatically played on the digital multimedia display in the store.

25 The digital multimedia presentations also preferably include start and end dates which are also transmitted and received at the stores. The received digital multimedia presentation is automatically played on the digital multimedia display in the store upon occurrence of an assigned start time which is between the assigned start date and the assigned end date. After expiration of the assigned end date, the stored digital multimedia presentation is deleted from the digital multimedia player at the store. Thus, digital multimedia presentations may be played at predetermined times during the day, for a period of days between an assigned start day and end day. Thereafter, the

25

30

35 -

presentation is deleted to make room for other presentations on the digital multimedia player.

The digital multimedia presentations are preferably customized for selected ones of the plurality of stores. When customized, a store identification may be provided and the customized digital multimedia presentations are transmitted to the identified stores.

Customization may be provided at the central 10 location by accepting customization data related to the selected ones of the stores. Alternatively, customization may take place at the individual store by providing customized data, for example concerning prices or sales periods at the stores. Customization may also take place both at the central location and at 15 the stores. A feedback mechanism may also be provided wherein effectiveness of the digital multimedia presentation in the store is measured, for example by analyzing sales data. If an indication is received 20 that the digital multimedia presentation is not effective, a new multimedia presentation may be assembled, transmitted, received, stored and automatically played.

Transmission may take place using a wide area network such as a wired wide area network, a wireless network and the internet. The digital multimedia presentation may be presented on a display which is a virtual display comprising a plurality of display devices arranged in an array. According to another aspect of the invention, customer inputs may be accepted to provide interactive digital multimedia presentations at the store.

The present invention is particularly applicable for generating menu boards for an enterprise such as a restaurant chain, which includes a plurality of sites such as restaurant sites. As is well known to those having skill in the art, menu boards are

10

15

35

generally placed above a counter in a restaurant and include an identification of items sold at the particular restaurant, as well as the associated prices. A time of day may also be identified, for example for a breakfast menu. Special promotions may be identified, such as "value meals" or other limited-time promotions. The present invention allows replacement of the static menu board with a digital multimedia menu board which can be displayed on a virtual display including a row or array of multimedia monitors.

Digital multimedia menu presentations are assembled at a central location. The presentations include a menu of items which are sold at the restaurant chain and digital multimedia presentations for selected ones of the menu items to advertise promotions. The digital multimedia presentations may include audio, text, graphics and full motion digital video.

20 For each restaurant site, a restaurant site specific menu is generated which comprises selected ones of the items from the menu of items which are sold at the restaurant chain, the associated prices for the restaurant site, and the restaurant-specific multimedia 25 advertisements, to form a customized digital multimedia menu board for each restaurant site, including menu items offered at the restaurant site, the associated prices and the multimedia advertisements concerning the menu items. Thus, for example, a nationwide restaurant 3.0 chain may be running different promotions and may be selling different items in different parts of the country. The prices will also generally vary from store to store. Thus, for each restaurant site, a site-specific menu is generated.

The customized digital multimedia presentation is then transmitted from the central location to the associated restaurant site and is

5 .

10

15

20

25

30

35

received at the associated restaurant site. The received customized digital multimedia presentation is then stored in a digital multimedia player at the restaurant site. The customized digital multimedia presentation is then automatically played on a digital multimedia menu board at the restaurant site, so that the digital multimedia menu board indicates the menu items and prices and advertisements for items which are presently being sold at the restaurant site.

According to another aspect of the present invention, start and end times are assigned for the digital multimedia presentations for each restaurant site, and the start and end times are transmitted and received at the restaurant site. Then, the customized digital multimedia presentation is automatically played from the assigned start time until the assigned end time. Thus, for example, a digital multimedia menu board for breakfast may only be played from 7:00AM-11:00AM, and this time can vary from day to day. Thereafter, a lunch menu board may be displayed.

According to another aspect of the present invention, a digital multimedia default menu presentation is also generated, transmitted, received and stored. Then, if an assigned end time for a digital multimedia presentation occurs and a start time for a second digital multimedia menu presentation is not present, the digital multimedia default menu presentation may be played. Accordingly, for example, if a new lunch menu has not been received, a default lunch menu may be displayed until the new lunch menu is received. Thus, it can be ensured that the digital multimedia menu board never displays a blank menu board. Similarly, if a digital multimedia menu presentation terminates prematurely due to an error or other occurrence, the default menu board may be played so that the digital multimedia menu board is never blank.

10

15

20

25

30

TERREPORT OF THE PROPERTY OF T

According to another aspect of the present invention, start and end dates are provided for the digital multimedia menu presentations for the restaurant sites. The start and end dates may be provided to accommodate price changes, new promotions and new items which are added to the menu board. Thus, the digital multimedia menu presentations are presented between the assigned start and end times and between the start and end dates. After the end date, the stored digital multimedia menu presentation is deleted from the digital multimedia player at the restaurant site, to free up storage space.

According to another aspect of the invention, customization data may also be provided for the restaurant site. For example, a customized list of items which are sold at the restaurant site may be provided centrally, but the prices may be entered at the individual restaurant site. Similarly, local promotions to meet competitive prices may also be entered at the local sites.

The digital multimedia menu boards may also be tied to a point-of-sale system at the restaurant site, which measures effectiveness of the promotions which are advertised on the menu boards. Thus, if point-of-sale data indicates that the promotions on the menu board are not being effective, this indication may be provided to the central location and new digital multimedia presentations may be assembled and transmitted to the store to provide a new presentation. The presentations on the menu board or on another kiosk in the store may also be made interactive by responding to customer inputs to provide interactive presentations. Multilingual presentations may also be provided.

10

15

20

30

## **Brief Description of the Drawings**

Figure 1 is an overall block diagram of systems, methods and computer program products for generating digital multimedia store displays and menu boards according to the invention.

Figures 2A and 2B are flowcharts illustrating an operational overview of systems, methods and computer program products for generating store displays for a plurality of stores according to the present invention.

Figure 3 is a detailed block diagram of the control and monitoring station of Figure 1.

Figure 4 illustrates an entity relationship conceptual model of the client and site database of Figure 1.

Figure 5 illustrates an entity relationship conceptual model of the presentation tracking database of Figure 3.

Figures 6A and 6B illustrate examples of wide area networks of Figure 1.

Figure 7 illustrates a local area network which may be used at the central location of Figure 1.

Figure 8 illustrates an example of an on-site local area network for Figure 1.

Figure 9 is a block diagram of the on-site players of Figure 1.

Figure 10 is a block diagram of the on-site control and monitoring station of Figure 1.

Figure 11 illustrates a fast-food restaurant including a digital multimedia menu board according to the present invention.

Figure 12 illustrates a digital multimedia interactive kiosk according to the present invention.

### **Detailed Description of Preferred Embodiments**

The present invention now will be described more fully hereinafter with reference to the

accompanying drawings, in which preferred embodiments of the invention are shown. This invention may, however, be embodied in many different forms and should not be construed as limited to the embodiments set forth herein; rather, these embodiments are provided so that this disclosure will be thorough and complete, and will fully convey the scope of the invention to those skilled in the art. Like numbers refer to like elements throughout.

#### 10 Overview

5

.15

20

25

30

35

Referring now to Figure 1, an overall block diagram of systems, methods and computer program products for generating digital multimedia store displays and menu boards according to the invention is illustrated. As shown in Figure 1, system 100 may be used to distribute, manage, monitor and display digital multimedia presentations in store environments. The digital multimedia presentations may serve a promotional, operational, or "edutainment" (education/entertainment) function. By using digital multimedia presentations, the present invention can leverage the strengths of network distribution including rapid updating, improved process management, dynamic integration of multiple data sources and robust control over remote playback.

Promotional applications may include in-store marketing efforts which are targeted to motivate desired consumer behavior by increasing consumer awareness. For example, digital multimedia presentations may highlight product availability or specific in-store incentives to motivate product purchase. Operational presentations may include features which are central to the functioning of the store, for example a fast food restaurant menu board. Finally, edutainment applications may be used to provide computer-based activities to consumers or store

25

30

35

personnel that are either educational or entertainment, or both. Examples may include staff training, motivational messaging or computer games. Regardless of the content, the digital multimedia presentations may be assembled, transmitted, received and played at the stores using the same software and hardware infrastructure, described below.

Accordingly, the present invention may be used to generate revenue, reduce costs, and/or increase 10 consumer traffic. As a revenue generator, the promotional applications may create a new in-store medium that can be sponsored or cofunded by participating companies, similar to television advertisements. The operational applications can 15 reduce the amount of materials and labor which are currently expended for the same tasks. Finally, the edutainment applications can be the basis for an instore experience that motivates consumers to visit a given store or motivates staff retention and 20 effectiveness.

It will be understood that the digital multimedia presentations may be passive or interactive. The digital multimedia presentations may respond to direct consumer input. For example, a promotional application can be presented on a touch-screen device which changes the type of information displayed in response to consumer selections.

Figure 1 is a block diagram of systems, methods and computer program products for generating store displays according to the present invention. As shown in Figure 1, system 100 includes an apparatus and/or a step for assembling at a central location, digital multimedia presentations for the plurality of stores. This apparatus or step is indicated in Figure 1 as "content development" 102. Digital multimedia presentations which are developed are stored in a presentation database 104 at the central location and

10

15

20

25

30

35

are staged for distribution through a distribution server 106 at the central location. Applications are distributed through a wide area network (WAN) 114 to on-site players 118. Information about the digital multimedia presentations in the stores may be transmitted back to the distribution server 106 where it is stored in a client and site database 110.

Continuing with the description of Figure 1, digital multimedia presentations which are assembled during content development 102, may include full motion digital video, still images, computer-generated animation, print prepress files, text and/or audio. The content is assembled into a complete digital multimedia presentation and stored in the presentation database 104. The details of assembling digital multimedia presentations will be described below. All approved digital multimedia presentations in the presentation database 104 are available for scheduling and transmission to the on-site players 118, as will be described in detail below.

The central control and monitoring station 108 enables a system operator to collect data from the client and site database 110 and the presentation database 104 in order to create digital multimedia presentation packages for each site. The digital multimedia presentation for each site may be determined in part by specific instructions or data from the various sites, which may be entered at the on-site control and monitoring station 116 and which is received and processed through the store administration server (central) 112. The central control and monitoring station 108 issues commands to distribute the assembled digital multimedia presentations from the presentation database 104 via the distribution server 106.

Digital multimedia presentations are distributed from the central location, to the plurality

10

15

20

25

30

35

of stores, using a wide area network (WAN) 114. Thus, the blocks of Figure 1 to the left of WAN 114 are at a central location, whereas the blocks to the right of WAN 114 are at an individual store. It will be understood that the central location may include a plurality of discrete sites which act as distribution points for the stores. Similarly, the various components for the stores need not be physically located in the stores, except for the digital multimedia display of the on-site players 118. Rather, these components may be included at another location associated with the store. The distribution of the digital multimedia presentations from the central locations to the stores may be managed by large multimedia file distribution software such as CreativePartner™, which is marketed by emotion Incorporated, Palo Alto, California.

At the stores, the digital multimedia presentations may be received, disassembled and stored in the on-site players 118. Client instructions or other on-site data such as point-of-sale information can be integrated into the digital multimedia presentations on the on-site players 118. Relevant data about the digital multimedia presentations and the state of the on-site players 118 may be recorded and transmitted to the distribution server 106. A system operator at the control and monitoring station 108 can view this data.

After a predetermined end date, the digital multimedia presentation is retired and replaced by another presentation which is delivered to the on-site player 118 as described above. Alternatively, a site-specific default presentation, which is always present on each on-site player 118, may be used. The default presentation is designed to be appropriate for on-site display at any time for a given client.

10

20

25

30

35

The system 100 is preferably designed to allow most digital multimedia presentations to play without any action on the part of on-site personnel. However, there may be some functions for which it is useful to provide control and management tools to the store manager, such as selecting from among multiple implementations of a particular digital multimedia presentation, or setting the store hours or schedule for a particular store. This on-site customization may be obtained using the on-site control and monitoring station 116 and the store administration server 120, as will be described below.

#### **Operational Overview**

Referring now to Figures 2A and 2B, an operational overview of systems, methods and computer program products for generating store displays for a plurality of stores will be described.

As will be appreciated by one of skill in the art, the present invention may be embodied as a method, data processing system and/or computer program product. Accordingly, the present invention may take the form of an entirely hardware embodiment, an entirely software embodiment or an embodiment combining software and hardware aspects. Furthermore, the present invention may take the form of a computer program product on a computer-readable storage medium having computer-readable program code means embodied in the medium. Any suitable computer-readable medium may be utilized including hard disks, CD-ROMs, optical storage devices, or magnetic storage devices.

The present invention is described below with reference to flowchart illustrations of methods, apparatus (systems) and computer program products. It will be understood that each block of the flowchart illustrations, and combinations of blocks in the flowchart illustrations, can be implemented by computer

10

15

20

in the contract was the experience in

program instructions. These computer program instructions may be loaded onto a computer or other programmable data processing apparatus to produce a machine, such that the instructions which execute on the computer or other programmable data processing apparatus create means for implementing the functions specified in the flowchart block or blocks. computer program instructions may also be stored in a computer-readable memory that can direct a computer or other programmable data processing apparatus to function in a particular manner, such that the instructions stored in the computer-readable memory produce an article of manufacture including instruction means which implement the function specified in the flowchart block or blocks. The computer program instructions may also be loaded onto a computer or other programmable data processing apparatus to cause a series of operational steps to be performed on the computer or other programmable apparatus to produce a computer implemented process such that the instructions which execute on the computer or other programmable apparatus provide steps for implementing the functions specified in the flowchart block or blocks.

Referring now to Figures 2A and 2B, store 25 displays 200 are generated by first developing or assembling generic digital multimedia presentations for multiple stores (Block 202). For example, when the store displays are menu boards for a restaurant chain, digital multimedia menu presentations including a menu 30 of items which are sold at the restaurant and digital multimedia presentations such as advertisements for selected ones of the menu items are generated. digital multimedia presentations are generally developed by creative professionals at advertising 3,5 agencies or clients. After a generic presentation is assembled, it is released to distribution and stored in

10

15

20

25

3.0

35

the presentation database 104 of Figure 1 where it awaits assembly and distribution.

At Block 204, the digital multimedia presentations are customized for individual stores. Customization may take place by generating for each restaurant site, a restaurant site-specific menu comprising selected ones of the items from the menu of items which are sold at the restaurant chain, the associated prices for the restaurant site, and restaurant-specific multimedia advertisements, to form a customized digital multimedia menu board for each restaurant site including menu items offered at the restaurant site, the associated prices, and multimedia advertisements concerning the menu items.

It will be understood that customization may take place independent of store input. However, preferably, instructions or data gathered from the store sites may impact the presentation customization at Block 204. Thus, presentations are preferably customized using the client and site database 110 at the control and monitoring station 108 (Figure 1). The data in the client and site database may be obtained from the store administration server 110 at the store via the store administration server at the central location 112. It will also be understood that additional customization may take place at the stores, as will be described below.

In addition to customization, at Block 206, start and end times and start and end dates are assigned for the customized multimedia presentations. The start and end dates may indicate start and end dates for a particular menu including special products and/or prices. Start and end times may indicate when in the day a specific menu is displayed, for example breakfast, lunch and dinner menus and/or weekend or weekday menus.

15

20

25

30

35

At Block 208, a default digital multimedia presentation is also developed or generated. The default digital multimedia presentation preferably includes generic material for the site which may be displayed in the absence of a customized digital multimedia presentation. Absence of a customized digital multimedia presentation may take place because of an error or because it is desired to display the default digital multimedia presentation.

At Block 212, the digital multimedia presentation packages are assembled for each store. At Block 214, the digital multimedia packages are queued for distribution to the individual stores using the distribution server 106 and wide area network 114 of Figure 1. At Block 216, the digital multimedia packages are transmitted over the WAN 114 and received at the store 216. The received customized digital multimedia presentations are stored at the associated store at Block 218.

At Block 222, further customization may be applied to the presentation. In particular, the onsite store administration server 120 of Figure 1 may be used to provide further customization of the digital multimedia presentation. For example, the playing hours may be modified and prices may be changed. alternative digital multimedia presentations are stored, one may be selected for presentation at the It will be understood that central store. customization and on-site customization may be used to optimize overall network resources and efficiency. will also be understood that on-site customization may occur dynamically as the digital multimedia program is played.

Referring to Blocks 226-248, the customized digital multimedia presentations are then automatically played on the on-site player, such as a digital multimedia menu board at the associated restaurant

4.

3.3

15

20

25

. T.

3:0

35

A PLUME TOPIO DE PRÉSIDANA DE

<del>distributed and the ship and</del>

site, so that the digital multimedia menu board indicates the menu items and prices, and advertisements for items which are presently being sold at the restaurant site. The appropriate digital multimedia presentation is played between an assigned start and end time and an assigned start and end date.

In particular, the presentations may abut each other in a serial fashion, with a succeeding presentation beginning at the end of a preceding presentation. In other instances, the valid periods for presentations may overlap in several ways. For example, a week-long special promotion presentation may supersede a quarterly seasonal presentation. For that week, the relative start dates are compared, with a preference for the presentation with the most recent start date.

Also, the start and end times which divide a day into periods may be related to a day profile which allows for several different ways of dividing days. For example, a weekend day may have a distinct set of periods from a weekday. More preferably, there is a hierarchy of preferred matching of day profiles which determines what set of time periods are in effect for a given day. These preferred matching profiles may be determined by the manner in which a date is specified. For example, a fully specified date such as 3/17/1997 may have priority over a partially specified date such as 12/25, which itself may have a preference over a day of the week such as Thursday, which itself may have preference over a weekday versus weekend specification.

Accordingly, as shown at Block 226, when the player computer is started, or if the current time is a boundary between sales periods, then at Block 232, a candidate digital multimedia presentation is selected for playback. Candidate digital multimedia presentations are identified as those presentations with an assigned start date greater than or equal to

5 .

25

30

the current date and with an assigned start time which falls within the current sales period. If more than one candidate presentation is available, then the candidate with the most recent or greatest assigned start date is started at Block 234. If no candidate presentations are available from Block 232, then the default digital multimedia presentation is started at Block 228.

Having started an appropriate digital multimedia presentation, control returns to Block 226. 10 Until the next sales period boundary or player computer start-up, the player computer storage is periodically checked for outdated digital multimedia presentations beginning at Block 244. If the assigned end date of 15 any digital multimedia presentation is less than, i.e. before, the current date, then the expired presentation is moved to the "outdated" directory at Block 246. there are no such presentations, then at Block 236 a check is made to determine whether the available 20 storage capacity of the player computer has fallen below a configurable threshold. When the storage capacity falls below that threshold, then the contents of the "outdated" directory are purged to make room for new digital multimedia presentations.

It will be understood that control is periodically passed through Block 238, where a test is made to determine that there is an appropriate digital multimedia presentation displayed. If that test indicates any error in the presentation playback, then the default digital multimedia presentation is displayed at Block 228.

#### Central Control and Monitoring Station

A detailed operational explanation of control and monitoring station 108 (Figure 1) will now be described in connection with Figure 3. As shown in Figure 3, the control and monitoring station 108

**15** .

20

25

3:0

35

includes control and monitoring software which may be accessed by a system operator to manage the client and site database 110, prepare digital multimedia presentation packages for distribution and track system status and history.

The presentation database 104 is maintained and populated by the content process described in connection with Figure 1. The control and monitoring station 108 accesses the presentation database 104 to identify the digital multimedia presentations which are available for distribution when an operator creates a distribution package.

The client and site database 110 contains information about various enterprises related to the store business, including but not limited to contact and site information and information about the on-site player configuration and installation.

Figure 4 illustrates an Entity-Relationship conceptual model of the client and site database 110. The modeling of databases using entity relationships was first described by Chen. An in-depth presentation of the Entity-Relationship approach may be found in an article by Teorey et al. entitled "A Logical Design Methodology for Relational Databases Using the Extended Entity-Relationship Model", published by ACM Computing Surveys, Vol. 18, No. 2, June 1986, the disclosure of which is hereby incorporated herein by reference.

As shown in Figure 4, the client and site database conceptual model represents entities and relationships, implemented in a relational database, which the control and monitoring station 108 manipulates. Enterprise entities can be an advertising agency or its clients, vendors or partners.

Alternatively, enterprise entities may be the chain or restaurant chain. As shown in Figure 4, an enterprise owns sites and employs contacts (people) who occupy one or more offices provided by an enterprise site.

35

Enterprises may also define regions which allow many sites to be represented by a convenient shorthand notation.

Continuing with the description of Figure 4,

a player is a computer configured with a particular set
of monitors at a known site. It will be understood
that enterprises, contacts, computers, monitors,
computer configurations and display configurations can
each exist in the database independent of other
entities. Thus, they are independent entities. In
contrast, regions, sites, offices and players only
exist in relation to one or more independent entities.
As such, they are shown as "dependent" entities.

Accordingly, in order to assemble a package of digital multimedia presentations for the plurality 15 of stores, an operator at the control and monitoring station 108 selects one or more programs from the presentation database 104, specifies destination sites from the client and site database 110 and schedules the 20 package start and expiration dates. The information that comprises the package is stored in the presentation tracking database 302. Packages are queued for distribution to on-site players using the CreativePartner agent 304. Other multimedia 25. distribution packages may also be employed. CreativePartner agent 304 copies the package files to on-site players 118 via the distribution server 106 which is connected a wide area network (WAN) 114, as will be described below.

Information such as on-site player operating status and the currently displayed multimedia presentation can also be provided from the on-site players 118 via the distribution server 106 and the CreativePartner agent 304, back to the control and monitoring station 108 to be incorporated into the presentation tracking database 302. For example, a particular digital multimedia presentation may have

30 :

35

several implementations. An on-site manager may have the option of selecting one of several implementations. The actual digital multimedia presentation which is selected at any given site can be monitored from the control and monitoring station 108 using the presentation tracking database 302. With appropriate interfaces to client point-of-sale data, this data can also be analyzed to monitor program effectiveness with respect to sales and to generate new digital multimedia presentations if a current presentation is not effective. Figure 5 describes an Entity-Relationship conceptual model of the presentation tracking database 302.

#### Local and Wide Area Networks

Figures 6A and 6B illustrate two examples of wide area networks 114 of Figure 1. It will be understood that many other examples of wide area networks may be used. As shown in Figures 6A and 6B, the central location may include a distribution server 106 for the central local area network 602. An ISDN/FR/ATM router 604 may be used to route messages to one or more wide area networks 114. Client routers 606 may be used to interface local area networks 608 for each site.

Figure 7 illustrates a local area network which may be used at a central location to develop, store and queue digital multimedia presentations. It will be understood that many other local area networks can be used. A plurality of content development stations 702 are shown, as well as a database server 704 to serve the presentation database and the client and site database.

Figure 8 illustrates an example of an on-site local area network which may be used at each of the stores. As shown, a plurality of on-site players 118 and a store administration station 120 may be included.

10

15

20

25

30

. 35

CONTRACTOR OF STREET

The functions of an on-site player and store administration server may be combined into a single unit 802. Other on-site devices 804 such as point-of-sale devices may be included in the local area network.

In Figure 8, two types of digital multimedia displays are shown. A kiosk 806 is shown including two separate displays therein. The displays may also be tiled to form a single virtual display. A second onsite player 810 is shown with a five-display operational menu board.

#### On-Site Players

Referring now to Figure 9, operational details of on-site players 118 (Figure 1) will now be described. The on-site player includes a CreativePartner agent 902, monitor software 904, cron software 906, movie mover software 908 and master player software 912. Each of Blocks 902, 904, 906, 908 and 912 may represent a single software process executing on the player computer. Preferably, each player 118 includes a complete set of the player software to manage its operation.

The player software is responsible for receiving digital multimedia presentation packages, verifying package content, processing packages to schedule presentations and carry out utility maintenance, displaying scheduled presentations, and deleting expired presentations. Player software also monitors the state of the system, with regard to processes and programs that are currently running, reports status to the central monitoring system 108, and may intervene automatically for certain simple error conditions. Initial implementation of the player software may be targeted for Macintosh OS, but the individual components can be portable to other operating systems.

10

15

20

25

30

45

网络电流 电电影电路

The descriptions of the player software components below make reference to the player's directory structure:

HD:

Player:

file packages arrive in the drop box holds cron, monitor, log & schedule files subdirs hold cast/movie (CXT, DXR) files g: movies not yet schedulable Drop Box: Schedule: Movies:

Waiting:

Now Playing: copy of the one movie now playing Playable: all currently valid movies and casts expired movies/casts (deletable) Outdated: Default: one movie suitable to play anytime

The CreativePartner Agent 902 is the gateway to the network for the player software. The monitor 904 registers with the CreativePartner Agent 902 to receive notification of package arrival. 904 also interfaces with the CreativePartner Agent 902 to upload system status reports to the central monitoring system 108.

When the monitor 904 is notified of a package arrival, the package is verified and processed, or an error report is generated if the package cannot be verified. A package includes a set of files which may include presentations, constituent media files, and utility programs with any associated data files. A package preferably includes a package description file, or PKG file, which details the file set and includes presentation scheduling information.

The PKG file format may be a simple, extensible, line-oriented text format. PKG files may be generated automatically by the central control software, but may be hand-edited for testing or exceptional circumstances. Below is a sample PKG file:

35 Just in case we hand-edit these, any lines containing colon characters that aren't recognized are ignored. Any line with no colons is assumed to be a content-file : name (no leading/trailing whitespace in filenames). run: util00 HD:Player:Movies:outdated start date: 1/15/97 00:00:00 40 expire date: 2/15/97 00:00:00 dayparts:

VALENTINE 97 DXR HEARTS 97.CXT

: This 'run' command happens after content files are : processed, the other one runs before processing. run: util00 HD: Evince: Movies: Waiting

20

35

40

: A simple checksum for security/validation checksum: 0xFF7C02A8

Packages are processed by monitor 904 as follows:

Package is validated, if files missing or checksum fails, generate error report.

If package is OK, then:
Launch pre-run utilities
Move content files to 'Waiting' area
Modify crontab/schedule as needed
Launch post-run utilities
Delete PKG file (if no other PKG files, clean dir, too)
Log entry: files listing, PKG file name

Cron 906 may utilize a proven, robust UNIX utility which has been ported to most common operating environments. Cron 906 is driven by a standard format text file, called the 'crontab'. It is especially suited for scheduling repetitive tasks at fixed times. The player software system also uses cron 906 to schedule program changes that occur due to start date and expiration date arrival. Below is a sample crontab file:

// The fields of a crontab entry are:
// minute hour monthday month weekday user command...
45 3 \* \* \* nobody reboot
00 4 \* \* \* nobody timesync
15 4 \* \* \* nobody disclean

0 0 15 1 \* nobody moviemover "USPS VAL97.PKG"
0 0 15 2 \* nobody moviemover "USPS VAL97.PKG"

When the monitor 904 processes a package containing start and expire data directives, it makes entries in the crontab that correspond to those dates, which cause cron 906 to invoke the movie mover 908. The movie mover 908 manages file moves from Waiting to Playable, Playable to Outdated, selects a movie for Now Playing, and removes entries from the crontab as they are completed. It is also invoked at system startup and by the monitor 904 whenever a package is processed. The movie mover 908 uses a movie schedule file to determine its actions. If a different program is selected for Now Playing, then the movie mover 908 signals the master player 912 to synchronize the

15

20

25

30

35

esti - qui a estrei d

program movie changeover. Below is a sample movie schedule file:

```
01/15/97 00:00:00 playable * HEARTS 97.CXT

01/15/97 00:00:00 playable * VALENTINE 97.DXR

01/15/97 00:00:00 cleantab * USPS VAL97.PKG

02/15/97 00:00:00 outdated * VALENTINE 97.DXR

02/15/97 00:00:00 cleantab * USPS VAL97.PKG
```

The master player 912 may be a custom Macromedia Director™ or other multimedia projector which implements the framework for program playback. The major components of that framework are a 'Send Pulse' routine, and routines which synchronize the changeover from one program to another. Pulse' routine makes a timestamped entry in the monitor 904 status log, which the monitor can then use to verify that a valid program is running. If the monitor 904 fails to receive a pulse from the master player 912, it schedules the default presentation for immediate playback and generates an error report. master player 912 generally has one presentation 914 playing. The presentation 914 may be a Macromedia Director movie which is displayed in a subwindow of the master player process. In other words, the presentation 914 is preferably not itself a projector (self-running movie).

Together, the processes of the on-site player 118 ensure that there is always a valid promotional message displayed, manage presentation scheduling and expiration, report status information, and provide an extensible infrastructure for remotely managing the playback system without requiring intervention by onsite personnel.

#### Store Administration Servers (Central and On-Site)

Referring now to Figure 10, operational details for the central store administration server (112, Figure 1) and the on-site store administration server (120, Figure 1) will now be described. Although

10

15

20

25

30 -

35

the present invention preferably allows many digital multimedia presentations to be executed without any action on the part of on-site personnel, there are some functions for which it may be useful to provide control and management tools to the store manager.

For example, some presentations may have more than one implementation, which allows the store manager to select which presentation to execute at a particular site. Presentations may also have optional controls, especially in the case of operational presentations such as a menu board, which provide for proper configuration at each site. A schedule of store opening, closing, and division of a day into differing periods may also be used in the automated presentation playback process. Since this schedule is likely to vary by location, the store manager can use the administration software to modify the schedule from the default for the client enterprise. The administration software can also provide help, training and troubleshooting with respect to the on-site operation of the system, as well as a channel for feedback and non-urgent service requests.

The actions taken by a store manager using the control and monitoring station (on-site) 116 may result in communication with either a store administration server (Central) 112 or a store administration server (On-site) 120. The store administration server (Central) 112 communicates site administration input to the distribution server 106 where that input may affect presentation distribution or presentation configuration prior to distribution. When the administration input only affects post-distribution presentation configuration, it can be handled by the store administration server (On-site) 120 which can communicate directly with the On-site Players 118 to respond to the input.

10

15

20

25

30

35

rational and research

The control and monitoring station 116 can be implemented by a workstation which supports a typical world-wide web browser application, and is preferably a computer which is already in place in the store environment for administration use. Hosting the administration software using standard Internet protocols and tools such as HTTP, FTP, and HTML allows flexibility not only in the selection of the control and monitoring station 116 but also in the location of the administration functions. The store manager need not be aware of whether a particular function is implemented by a store administration server (central) 112 or a store administration server (on-site) 120. The distribution network can be used to update the content of the store administration server (on-site) 120 similar to presentation updates.

#### Fast-Food Restaurant Environment

Referring now to Figure 11, the use of the present invention in a fast-food restaurant will now be described. As shown in Figure 11, a fast-food restaurant includes a conventional fast-food restaurant counter 1100 including point-of-sale terminals and food and beverage dispensers. Above the counter 1100 is a menu board 1110. According to the present invention, the menu board comprises a digital multimedia menu board including a plurality of digital multimedia displays 1110a-1110d which are arranged in an array to form a virtual display. The digital multimedia menu board 1110 may include digital multimedia presentations of menu items and prices and advertisements for items which are presently being sold at the restaurant site.

Figure 11 illustrates one arrangement of a digital multimedia menu board 1110. However, it will be understood by those having skill in the art that many other arrangements may be provided. As shown in Figure 11, display 1110a illustrates a multimedia

10

15

20

25

30

35

advertisement for a particular promotional meal. Displays 1110b and 1110c illustrate value meal promotions. Display 1110d illustrates individual menu items and their associated prices.

By providing animated movement, a consumer may be induced to try a featured special. The menu board 1110 may change constantly. For example, the menu board may also include advertisements relating to participation of the restaurant in a local charity event for the next week.

Digital multimedia menu boards of the present invention may attract people to purchase selected items at a restaurant. Moreover, the concept-to-delivery cycle may be dramatically shortened. An idea may be created, a prototype generated, revisions made, approval obtained and the message delivered to the environment in a short turnaround time and without costly and time-consuming printing and physical distribution of media. Moreover, the content can be changed constantly and the customer can see a different message with each visit. Messaging can be targeted and refreshed at will. Moreover, testing of new menu boards can be done quickly and results can be evaluated and changes made rapidly to develop highly effective messaging.

Well designed moving images can attract the consumer and deliver message effectively. The use of space can be optimized and multi-part messages can be shown over a short period of time on the same display. Environments can respond to market conditions quickly. A restaurant can rapidly react with its own competitive offerings. Moreover, if a promotion is not effective, the creative agency can rapidly refine the messaging to be more effective.

Messaging can be targeted by the time of day and promotional cycle. Customers can see only the breakfast menu in the morning and only the lunch menu

10

15

20

25

30--

35

at lunch time. Customer decision-making can therefore be faster and clutter may be reduced. Rush hour messaging can be quick and immediate, while off-peak messages can target a different customer.

Moreover, by delivering content digitally from a central location, with promotion parameters such as start and end dates automatically managed, execution can be nearly flawless and nearly effortless for the on-site staff. Resources can be managed more efficiently, because managers no longer need to depend on employees to install and maintain signage throughout the restaurant. Staff mistakes can be reduced or eliminated, and stores do not need to use spare storage space for bulky promotional display materials.

Figure 12 illustrates an interactive kiosk which may interface to the system of the present invention. The kiosk may be used to attract customers into the restaurant or to provide interactive game playing for a family as they enjoy a meal. Thus, the restaurant may become a center of family activities, rather than merely a location to eat.

Accordingly, the present invention provides systems, methods and computer program products which distribute and manage digital multimedia presentations which typically function in a environment as promotional, operational or edutainment applications. The invention allows presentations to be delivered to all sites or to particular sites selected by region or specific address. Presentations are executed on-site using computer systems capable of driving multiple digital displays to create a single virtual display of These computer systems are referred to various sizes. as "players". Since presentations are stored on the player, the site may be disconnected from the network without impacting operations other than presentation distribution. A particular presentation may be static, or may be modified by integration of site-specific

10

15

data. Data integration may occur dynamically or one time only, and may be performed by an in-store computer system or by a central computer system. Presentations may be interactive, as in a touchscreen order-entry, wayfinding, or game program, or passive, as in a simple promotional display which the end-user just reads. Presentations typically run without requiring any instore personnel action, but may include selection, scheduling, or configuration options which allow onsite personnel to customize the presentations.

In the drawings and specification, there have been disclosed typical preferred embodiments of the invention and, although specific terms are employed, they are used in a generic and descriptive sense only and not for purposes of limitation, the scope of the invention being set forth in the following claims.

10

20

5

10

#### THAT WHICH IS CLAIMED:

transmitting the digital multimedia presentations and the assigned start and end times to the plurality of stores;

receiving the digital multimedia presentations and the assigned start and end times at the stores;

storing the received digital multimedia presentations in a digital multimedia player at the store; and

upon occurrence of an assigned start time, automatically playing the associated stored received digital multimedia presentation on a digital multimedia display in the store, until occurrence of the assigned end time for the associated digital multimedia presentation.

2. A method according to Claim 1 further comprising the steps of:

generating at the central location, a digital multimedia default presentation for the plurality of stores, the digital multimedia default presentation being free of a start time and an end time;

transmitting the digital multimedia default presentation to the plurality of stores;

receiving the digital multimedia default presentation at the stores;

storing the received digital multimedia default presentation in the digital multimedia player at the store;

10

15

20

mandaring beam

and the second second

detecting at the store, that an assigned end time for an associated digital multimedia presentation has occurred, and that a start time for a second digital multimedia presentation does not correspond to the assigned end time; and

automatically playing the stored received
digital multimedia default presentation on the digital
multimedia display in the store, upon detecting that an
assigned end time for an associated digital multimedia
presentation has occurred and that a start time for a
second digital multimedia presentation does not
correspond to the assigned end time.

3. A method according to Claim 1 further comprising the steps of:

generating at the central location, a digital multimedia default presentation for the plurality of stores, the digital multimedia default presentation being free of a start time and an end time;

transmitting the digital multimedia default presentation to the plurality of stores;

receiving the digital multimedia default presentation at the stores;

storing the received digital multimedia default presentation in the digital multimedia player at the store;

detecting at the store, that termination of a digital multimedia presentation has occurred prior to the assigned end time; and

automatically playing the stored received digital multimedia default presentation on the digital multimedia display in the store, upon detecting that termination of a digital multimedia presentation has occurred prior to the assigned end time.

4. A method according to Claim 1:

10

15

20

25

:::5

10

wherein the assigning step further comprises the step of assigning a start and end date to the digital multimedia presentations for the stores;

wherein the transmitting step further comprises the step of transmitting the digital multimedia presentations and the assigned start and end times and start and end dates to the plurality of stores;

wherein the receiving step comprises the step of receiving the digital multimedia presentations and the assigned start and end times and start and end dates at the stores;

wherein the automatically playing step comprises the step of, upon occurrence of an assigned start time between the assigned start date and the assigned end date, automatically playing the associated stored received digital multimedia presentation on a digital multimedia display in the store, until occurrence of the assigned end time for the associated digital multimedia presentation; and

wherein the method further comprises the step of deleting the stored received digital multimedia presentation from the digital multimedia player at the store, after expiration of the assigned end date.

5. A method according to Claim 1 wherein the assembling step comprises the steps of:

generating at the central location, a generalized digital multimedia presentation for the plurality of stores; and

customizing the generalized digital multimedia presentation for selected ones of the plurality of stores, to create a plurality of customized digital multimedia presentations for selected ones of the stores.

10

-⊹5

15

6. A method according to Claim 5 wherein the assigning step comprises the step of:

assigning start and end times and a store identification to the customized digital multimedia presentations for the stores; and

wherein the transmitting step comprises the step of:

transmitting the customized digital multimedia presentations and the assigned start and end times to the identified stores.

7. A method according to Claim 1 further comprising the steps of:

assembling at a central location, a default digital multimedia presentation for the plurality of stores;

transmitting the default digital multimedia presentation to the plurality of stores;

receiving the default digital multimedia presentation at the stores;

storing the received default digital multimedia presentation in a digital multimedia player at the store; and

wherein the step of automatically playing is followed by the step of:

automatically playing the stored received default digital multimedia presentation on the digital multimedia display in the store, upon occurrence of the assigned end time.

8. A method according to Claim 1 wherein the steps of transmitting and receiving are performed using at least one of a wired wide area network, a wireless wide area network and the internet.

5.

10

5

10

5

- 9. A method according to Claim 1 wherein the digital multimedia display is a virtual display comprising a plurality of display devices.

wherein the customizing step comprises the step of:

customizing the generalized digital multimedia presentation for selected ones of the plurality of stores using the customization data, to create a plurality of customized digital multimedia presentations for selected ones of the stores.

11. A method according to Claim 1 wherein the step of automatically playing is followed by the steps of:

measuring effectiveness of the digital multimedia presentation in the store; and repeating the steps of assembling, assigning, transmitting receiving storing and automatically playing for second multimedia presentations, upon receipt of an indication that the digital multimedia presentation is not effective.

- 12. A method according to Claim 1 wherein the step of automatically playing comprises the step of automatically playing the stored received digital multimedia presentations on a digital multimedia display in the store in response to customer inputs, to provide interactive multimedia presentations.
- 13. A method according to Claim 1 wherein the step of storing is followed by the step of:

10

5

customizing the stored received digital multimedia presentations with customization data for the store; and

wherein the step of automatically playing comprises the step of:

upon occurrence of the assigned start time, automatically playing the customized stored received digital multimedia presentations on the digital multimedia display in the store, until occurrence of the assigned end time.

14. A method for generating menu boards for an enterprise, including a plurality of sites, comprising the steps of:

assembling at a central location, digital multimedia menu presentations including a menu of items which are sold at the enterprise, and digital multimedia presentations for selected ones of the menu items;

generating, for the sites, a site-specific

menu comprising selected ones of the items from the
menu of items which are sold at the enterprise, the
associated prices for the site, and specific multimedia
advertisements, to form a customized digital multimedia
menu board for the site including menu items offered at
the site, the associated prices, and multimedia
advertisements concerning the menu items;

transmitting the customized digital multimedia presentations from the central location to the associated sites;

receiving the customized digital multimedia presentation at the associated site;

storing the received customized digital multimedia presentation in a digital multimedia player at the site; and

automatically playing the customized digital multimedia presentation on a digital multimedia menu

10

15

20

board at the associated site, so that the digital multimedia menu board indicates the menu items and prices, and advertisements for items which are presently being sold at the site.

15. A method according to Claim 14:

wherein the generating step further comprises the step of assigning start and end times for the digital multimedia presentations for the sites;

wherein the transmitting step comprises the step of transmitting the customized digital multimedia presentations and the assigned start and end times to the associated sites;

wherein the receiving step comprises the step of receiving the customized digital multimedia presentation and the assigned start and end times at the associated site; and

wherein the automatically playing step comprises the step of, upon occurrence of an assigned start time, automatically playing the customized digital multimedia presentation on a digital multimedia menu board in the site, until occurrence of the assigned end time for the customized digital multimedia presentation so that the digital multimedia menu board indicates the menu items and prices, and advertisements for items which are presently being sold at the site.

16. A method according to Claim 15 further comprising the steps of:

generating at the central location, a digital multimedia default menu presentation for the enterprise, the digital multimedia default menu presentation being free of a start time and an end time;

transmitting the digital multimedia default menu presentation to the plurality of sites;

25

5

10

15

receiving the digital multimedia default menu presentation at the sites;

storing the received digital multimedia default menu presentation in the digital multimedia player at the site;

detecting at the site, that an assigned end time for an associated digital multimedia menu presentation has occurred, and that a start time for a second digital multimedia menu presentation does not correspond to the assigned end time; and

automatically playing the stored received digital multimedia default menu presentation on the digital multimedia menu board in the store, upon detecting that an assigned end time for an associated digital multimedia menu presentation has occurred and that a start time for a second digital multimedia menu presentation does not correspond to the assigned end time.

17. A method according to Claim 15 further comprising the steps of:

generating at the central location, a digital multimedia default menu presentation for the enterprise, the digital multimedia default menu presentation being free of a start time and an end time;

transmitting the digital multimedia default menu presentation to the plurality of sites;

receiving the digital multimedia default menu presentation at the sites;

storing the received digital multimedia default menu presentation in the digital multimedia player at the site;

detecting at the site, that termination of a digital multimedia menu presentation has occurred prior to the assigned end time; and

5--

10

15

20-

25

automatically playing the stored received digital multimedia default menu presentation on the digital multimedia menu board in the store, upon detecting that termination of a digital multimedia menu presentation has occurred prior to the assigned end time.

18. A method according to Claim 15:
wherein the assigning step further comprises
the step of assigning a start and end date to the
digital multimedia menu presentations for the sites;

wherein the transmitting step further comprises the step of transmitting the digital multimedia menu presentations and the assigned start and end times and start and end dates to the plurality of sites:

wherein the receiving step comprises the step of receiving the digital multimedia menu presentations and the assigned start and end times and start and end dates at the sites;

wherein the automatically playing step comprises the step of, upon occurrence of an assigned start time between the assigned start date and the assigned end date, automatically playing the associated stored received digital multimedia menu presentation on a digital multimedia menu board in the store, until occurrence of the assigned end time for the associated digital multimedia menu presentation; and

wherein the method further comprises the step of deleting the stored received digital multimedia menu presentation from the digital multimedia player at the site, after expiration of the assigned end date.

19. A method according to Claim 15 further comprising the steps of:

15

assembling at a central location, a default digital multimedia menu presentation for the enterprise;

transmitting the default digital multimedia menu presentation to the plurality of sites;

receiving the default digital multimedia menu presentation at the sites;

storing the received default digital multimedia menu presentation in a digital multimedia player at the site; and

wherein the step of automatically playing is followed by the step of:

automatically playing the stored received default digital multimedia menu presentation on the digital multimedia menu board in the site, upon occurrence of the assigned end time.

- 20. A method according to Claim 14 wherein the steps of transmitting and receiving are performed using at least one of a wired wide area network, a wireless wide area network and the internet.
- 21. A method according to Claim 14 wherein the digital multimedia menu board is a virtual display comprising a plurality of display devices.
- 23. A method according to Claim 14 wherein the step of automatically playing is followed by the steps of:
- measuring effectiveness of the digital multimedia menu presentation in the store; and

5

5

10

10

Marin Industrial an

repeating the steps of assembling, generating, transmitting, receiving, storing and automatically playing for second multimedia menu presentations, upon receipt of an indication that the digital multimedia menu presentation is not effective.

- 24. A method according to Claim 14 wherein the step of automatically playing comprises the step of automatically playing the stored received digital multimedia menu presentations on a digital multimedia menu board in the store in response to customer inputs, to provide interactive menu board presentations.
- 25. A method according to Claim 14 wherein the step of storing is followed by the step of:
  further customizing the stored received digital multimedia menu presentations with customization data for the store; and wherein the step of automatically playing

comprises the step of:

automatically playing the further customized digital multimedia presentation on a digital multimedia menu board at the associated site, so that the digital multimedia menu board indicates the menu items and prices, and advertisements for items which are presently being sold at the site.

26. A system for generating store displays for a plurality of stores, comprising:

a central system including means for assembling digital multimedia presentations for the plurality of stores and for assigning start and end times to the digital multimedia presentations for the stores;

a network which transmits the digital multimedia presentations and the assigned start and end times to the plurality of stores; and

10

15

20

a digital multimedia system at each of the stores, the digital multimedia system comprising:

means for storing the received digital multimedia presentations; and

digital multimedia displaying means,
responsive to occurrence of an assigned start time, for
automatically playing the associated stored received
digital multimedia presentation, until occurrence of
the assigned end time for the associated digital
multimedia presentation.

27. A system according to Claim 26 wherein the central system further comprises:

means for generating a digital multimedia default presentation for the plurality of stores, the digital multimedia default presentation being free of a start time and an end time; and

wherein the digital multimedia system further comprises:

means for storing the received digital
multimedia default presentation;

means for detecting that an assigned end time for an associated digital multimedia presentation has occurred, and that a start time for a second digital multimedia presentation does not correspond to the assigned end time; and

wherein the digital multimedia displaying means further comprises means for automatically playing the stored received digital multimedia default presentation on the digital multimedia displaying means, upon detecting that an assigned end time for an associated digital multimedia presentation has occurred and that a start time for a second digital multimedia presentation does not correspond to the assigned end time.

10

15

20

10

15

28. A system according to Claim 26 wherein the central system further comprises:

means for generating a digital multimedia default presentation for the plurality of stores, the digital multimedia default presentation being free of a start time and an end time; and

wherein the digital multimedia system further comprises:

means for storing the received digital multimedia default presentation;

means for detecting that termination of a digital multimedia presentation has occurred prior to the assigned end time; and

wherein the digital multimedia displaying means further comprises means for automatically playing the stored received digital multimedia default presentation on the digital multimedia displaying means, upon detecting that termination of a digital multimedia presentation has occurred prior to the assigned end time.

29. A system according to Claim 26 wherein the central system further comprises:

means for assigning a start and end date to the digital multimedia presentations for the stores; and

wherein the digital multimedia displaying means further comprises means, responsive to occurrence of an assigned start time between the assigned start date and the assigned end date, for automatically playing the associated stored received digital multimedia presentation on the digital multimedia displaying means, until occurrence of the assigned end time for the associated digital multimedia presentation; and

10

5

5

wherein the digital multimedia system further comprises means for deleting the stored received digital multimedia presentation, after expiration of the assigned end date.

30. A system according to Claim 26 wherein the assembling means comprises:

means for generating a generalized digital multimedia presentation for the plurality of stores; and

means for customizing the generalized digital multimedia presentation for selected ones of the plurality of stores, to create a plurality of customized digital multimedia presentations for selected ones of the stores.

31. A system according to Claim 30 wherein the assigning means comprises:

means for assigning start and end times and a store identification to the customized digital multimedia presentations for the stores.

32. A system according to Claim 26 wherein the central system further comprises:

means for assembling a default digital multimedia presentation for the plurality of stores; wherein the digital multimedia system comprises:

means for storing the received default digital multimedia presentation; and

wherein the digital multimedia displaying neans further comprises:

means for automatically playing the stored received default digital multimedia presentation on the digital multimedia displaying means, upon occurrence of the assigned end time.

. 5

- 33. A system according to Claim 26 wherein the network comprises at least one of a wired wide area network, a wireless wide area network and the internet.
- 34. A system according to Claim 26 wherein the digital multimedia displaying means comprises a virtual display including a plurality of display devices.
- 35. A system according to Claim 30 wherein the central system further comprises:

means for accepting from the selected ones of the stores, customization data related to the selected ones of the stores; and

wherein the customizing means comprises:
 means for customizing the generalized digital
multimedia presentation for selected ones of the
plurality of stores using the customization data, to
create a plurality of customized digital multimedia
presentations for selected ones of the stores.

36. A system according to Claim 26 wherein the central system further comprises:

means for measuring effectiveness of the digital multimedia presentation in the store; and means for assembling second multimedia presentations, upon receipt of an indication that the digital multimedia presentation is not effective.

- 37. A system according to Claim 26 wherein the digital multimedia displaying means is further responsive to customer inputs, to provide interactive multimedia presentations.
- 38. A system according to Claim 26 wherein the digital multimedia system further comprises:

gradient of the second of the second

25

means for customizing the stored received digital multimedia presentations with customization data for the store.

39. A system for generating menu boards for an enterprise including a plurality of sites, comprising:

a central system including means for assembling digital multimedia menu presentations 5 including a menu of items which are sold at the enterprise, and digital multimedia presentations for selected ones of the menu items, and for generating, for the sites, a site-specific menu comprising selected ones of the items from the menu of items which are sold 10 at the enterprise, the associated prices for the site, and specific multimedia advertisements, to form a customized digital multimedia menu board for the site including menu items offered at the site, the associated prices, and multimedia advertisements 15 concerning the menu items;

a network which transmits the customized digital multimedia presentations from the central location to the associated sites; and

a digital multimedia system at each of the sites, the digital multimedia system comprising:

means for storing the received customized digital multimedia presentation; and

digital multimedia menu board displaying means, for automatically playing the customized digital multimedia presentation, so that the digital multimedia menu board displaying means indicates the menu items and prices, and advertisements for items which are presently being sold at the site.

40. A system according to Claim 39:

10

10

15

. . . . .

20

ja dengan

wherein the central system further comprises means for assigning start and end times for the digital multimedia presentations for the sites; and

wherein the digital multimedia menu board displaying means comprises means, responsive to an assigned start time, for automatically playing the customized digital multimedia presentation on the digital multimedia menu board displaying means, until occurrence of the assigned end time for the customized digital multimedia presentation so that the digital multimedia menu board displaying means indicates the menu items and prices, and advertisements for items which are presently being sold at the site.

41. A system according to Claim 40 wherein the central site further comprises:

means for generating a digital multimedia default menu presentation for the enterprise, the digital multimedia default menu presentation being free of a start time and an end time; and

wherein the digital multimedia system further comprises:

means for storing the received digital multimedia default menu presentation;

means for detecting that an assigned end time for an associated digital multimedia menu presentation has occurred, and that a start time for a second digital multimedia menu presentation does not correspond to the assigned end time; and

wherein the digital multimedia menu board displaying means further comprises means for automatically playing the stored received digital multimedia default menu presentation, upon detecting that an assigned end time for an associated digital multimedia menu presentation has occurred and that a start time for a second digital multimedia menu

10

15

10

presentation does not correspond to the assigned end time.

42. A system according to Claim 40 wherein the central system further comprises:

means for generating a digital multimedia default menu presentation for the enterprise, the digital multimedia default menu presentation being free of a start time and an end time; and

wherein the digital multimedia system further comprises:

means for storing the received digital
multimedia default menu presentation;

means for detecting that termination of a digital multimedia menu presentation has occurred prior to the assigned end time; and

wherein the digital multimedia menu board displaying means comprises means for automatically playing the stored received digital multimedia default menu presentation, upon detecting that termination of a digital multimedia menu presentation has occurred prior to the assigned end time.

43. A system according to Claim 40 wherein the central system further comprises:

means for assigning a start and end date to the digital multimedia menu presentations for the sites; and

wherein the digital multimedia displaying means further comprises means, responsive to occurrence of an assigned start time between the assigned start date and the assigned end date, for automatically playing the associated stored received digital multimedia menu presentation, until occurrence of the assigned end time for the associated digital multimedia menu presentation; and

10

means for deleting the stored received

digital multimedia menu presentation from the digital
multimedia system, after expiration of the assigned end
date.

44. A system according to Claim 40 wherein the central system further comprises:

means for assembling a default digital multimedia menu presentation for the enterprise; wherein the digital multimedia system comprises:

means for storing the received default digital multimedia menu presentation; and

wherein the digital multimedia menu board displaying means further comprises:

means for automatically playing the stored received default digital multimedia menu presentation on the digital multimedia menu board displaying means upon occurrence of the assigned end time.

- 45. A system according to Claim 39 wherein the network comprises at least one of a wired wide area network, a wireless wide area network and the internet.
- 46. A system according to Claim 39 wherein the digital multimedia menu board displaying means comprises a virtual display including a plurality of display devices.
- 47. A system according to Claim 39 wherein the central system further comprises:

means for accepting from the selected ones of the sites, customization data related to the items and prices of items which are sold at the selected site.

48. A system according to Claim 39 wherein the central system further comprises:

5 .

5

10

15

means for measuring effectiveness of the digital multimedia menu presentation in the store; and means for assembling second multimedia menu presentations, upon receipt of an indication that the digital multimedia menu presentation is not effective.

- 49. A system according to Claim 39 wherein the digital multimedia menu board displaying means is responsive to customer inputs, to provide interactive menu board presentations.
- 50. A system according to Claim 39 wherein the digital multimedia system further comprises:

  means for further customizing the stored received digital multimedia menu presentations with customization data for the store.
- 51. A computer program product for generating store displays for a plurality of stores, the computer program product including a computer-readable storage medium having computer-readable program code means embodied in the medium, the computer-readable program code means comprising:

computer-readable program code means for assembling digital multimedia presentations for the plurality of stores and for assigning start and end times to the digital multimedia presentations for the stores; and

computer-readable program code means for automatically playing the associated stored received digital multimedia presentation on a digital multimedia display in the store upon occurrence of an assigned start time, until occurrence of the assigned end time for the associated digital multimedia presentation.

52. A computer program product according to Claim 51 further comprising:

10

15

20

-5

10

. 15

computer-readable program code means for generating a digital multimedia default presentation for the plurality of stores, the digital multimedia default presentation being free of a start time and an end time;

computer-readable program code means for detecting that an assigned end time for an associated digital multimedia presentation has occurred, and that a start time for a second digital multimedia presentation does not correspond to the assigned end time; and

computer-readable program code means for automatically playing the stored received digital multimedia default presentation on the digital multimedia display, upon detecting that an assigned end time for an associated digital multimedia presentation has occurred and that a start time for a second digital multimedia presentation does not correspond to the assigned end time.

53. A computer program product according to Claim 51 further comprising:

computer-readable program code means for generating a digital multimedia default presentation for the plurality of stores, the digital multimedia default presentation being free of a start time and an end time;

computer-readable program code means for detecting that termination of a digital multimedia presentation has occurred prior to the assigned end time; and

computer-readable program code means for automatically playing the stored received digital multimedia default presentation on the digital multimedia display, upon detecting that termination of a digital multimedia presentation has occurred prior to the assigned end time.

Lighter Greenstage (Contraction Co.

10

5

10

54. A computer program product according to Claim 51 further comprising:

computer-readable program code means for assigning a start and end date to the digital multimedia presentations for the stores;

computer-readable program code means, responsive to occurrence of an assigned start time between the assigned start date and the assigned end date, for automatically playing the associated stored received digital multimedia presentation on the digital multimedia displaying means, until occurrence of the assigned end time for the associated digital multimedia presentation; and

computer-readable program code means for deleting the stored received digital multimedia presentation, after expiration of the assigned end date.

55. A computer program product according to Claim 51 wherein the computer-readable program code assembling means comprises:

computer-readable program code means for generating a generalized digital multimedia presentation for the plurality of stores; and computer-readable program code means for customizing the generalized digital multimedia presentation for selected ones of the plurality of stores, to create a plurality of customized digital multimedia presentations for selected ones of the stores.

56. A computer program product according to Claim 55 wherein the computer-readable program code assigning means comprises:

computer-readable program code means for assigning start and end times and a store

10

5

10

Hararin terretak di belandarian da ka

identification to the customized digital multimedia presentations for the stores.

57. A computer program product according to Claim 51 further comprising:

computer-readable program code means for assembling a default digital multimedia presentation for the plurality of stores; and

computer-readable program code means for automatically playing the stored received default digital multimedia presentation on the digital multimedia display, upon occurrence of the assigned end time.

58. A computer program product according to Claim 55 further comprising:

computer-readable program code means for accepting from the selected ones of the stores, customization data related to the selected ones of the stores; and

wherein the computer-readable program code customizing means comprises:

computer-readable program code means for customizing the generalized digital multimedia presentation for selected ones of the plurality of stores using the customization data, to create a plurality of customized digital multimedia presentations for selected ones of the stores.

59. A computer program product according to Claim 51 further comprising:

computer-readable program code means for measuring effectiveness of the digital multimedia presentation in the store; and

computer-readable program code means for assembling second multimedia presentations, upon

and with the control of the second of the second

10

15

20

25

5

receipt of an indication that the digital multimedia presentation is not effective.

60. A computer program product for generating menu boards for an enterprise including a plurality of sites, the computer program product including a computer-readable storage medium having computer-readable program code means embodied in the medium, the computer-readable program code means comprising:

computer-readable program code means for assembling digital multimedia menu presentations including a menu of items which are sold at the enterprise, and digital multimedia presentations for selected ones of the menu items, and for generating, for the sites, a site-specific menu comprising selected ones of the items from the menu of items which are sold at the enterprise, the associated prices for the site, and specific multimedia advertisements, to form a customized digital multimedia menu board for the site including menu items offered at the site, the associated prices, and multimedia advertisements concerning the menu items; and

computer-readable program code means for automatically playing the customized digital multimedia presentation on a digital multimedia menu board display at the associated site, so that the digital multimedia menu board display indicates the menu items and prices, and advertisements for items which are presently being sold at the site.

61. A computer program product according to Claim 60 further comprising:

computer-readable program code means for assigning start and end times for the digital multimedia presentations for the sites; and

15

10

15

20

wherein the computer-readable program code automatically playing means comprises computer-readable program code means, responsive to an assigned start time, for automatically playing the customized digital multimedia presentation on the digital multimedia menu board display, until occurrence of the assigned end time for the customized digital multimedia presentation so that the digital multimedia menu board display indicates the menu items and prices, and advertisements for items which are presently being sold at the site.

62. A computer program product according to Claim 61 further comprising:

computer-readable program code means for generating a digital multimedia default menu presentation for the enterprise, the digital multimedia default menu presentation being free of a start time and an end time;

computer-readable program code means for detecting that an assigned end time for an associated digital multimedia menu presentation has occurred, and that a start time for a second digital multimedia menu presentation does not correspond to the assigned end time; and

computer-readable program code means for automatically playing the stored received digital multimedia default menu presentation on the digital multimedia menu board display in the store, upon detecting that an assigned end time for an associated digital multimedia menu presentation has occurred and that a start time for a second digital multimedia menu presentation does not correspond to the assigned end time.

63. A computer program product according to Claim 61 further comprising:

10

15

10

15 .

laterija ir ir ligitigas privija galaustysija

computer-readable program code means for generating a digital multimedia default menu presentation for the enterprise, the digital multimedia default menu presentation being free of a start time and an end time;

computer-readable program code means for detecting that termination of a digital multimedia menu presentation has occurred prior to the assigned end time; and

computer-readable program code means for automatically playing the stored received digital multimedia default menu presentation on the digital multimedia menu board in the store, upon detecting that termination of a digital multimedia menu presentation has occurred prior to the assigned end time.

64. A computer program product according to Claim 61 further comprising:

computer-readable program code means for assigning a start and end date to the digital multimedia menu presentations for the sites;

computer-readable program code means, responsive to occurrence of an assigned start time between the assigned start date and the assigned end date, for automatically playing the associated stored received digital multimedia menu presentation on the digital multimedia menu board display, until occurrence of the assigned end time for the associated digital multimedia menu presentation; and

computer-readable program code means for deleting the stored received digital multimedia menu presentation, after expiration of the assigned end date.

65. A computer program product according to Claim 61 further comprising:

5 .

10

. £1.

5

5

 computer-readable program code means for assembling a default digital multimedia menu presentation for the enterprise; and

computer-readable program code means for automatically playing the stored received default digital multimedia menu presentation on the digital multimedia menu board display upon occurrence of the assigned end time.


66. A computer program product according to Claim 60 further comprising:

computer-readable program code means for accepting from the selected ones of the sites, customization data related to the items and prices of items which are sold at the selected site.


67. A computer program product according to Claim 60 further comprising:

computer-readable program code means for measuring effectiveness of the digital multimedia menu presentation in the store; and


computer-readable program code means for assembling second multimedia menu presentations, upon receipt of an indication that the digital multimedia menu presentation is not effective.




SUBSTITUTE SHEET (RULE 26)




SUBSTITUTE SHEET (RULE 26)




SUBSTITUTE SHEET (RULE 26)





**SUBSTITUTE SHEET (RULE 26)** 






SUBSTITUTE SHEET (RULE 26)






**SUBSTITUTE SHEET (RULE 26)** 

FIG. 8




SUBSTITUTE SHEET (RULE 26)




## FIG. 10

Control and Monitoring Station


- Presentation selection / control / status
- Store schedule configuration
- System Help / Training / Troubleshooting
- Feedback and non-urgent service requests
- Browser-hosted
- Seamless integration of central / on-site functions
- Home page served on-site, updated similar to presentations



SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)

## INTERNATIONAL SEARCH REPORT

inte. .ional Application No PCT/US 98/00513

IPC 6	GUEF17/30		
			•
According	to International Patent Classification (IPC) or to both national classification	naitication and IDS	
	S SEARCHED	ssuication and IPC	
Minimum of IPC 6	documentation searched (classification system followed by classif	fication symbols)	
1100	G06F H04N		
Document	ation searched other than minimum documentation to the extent the	hat such documents are included in the fields s	earched
Flectmoic	data hass security of the		
	data base consulted during the international search (name of dat	a base and, where practical, search terms use	d)
		·	
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the	relevant passages	Relevant to claim No.
Υ	WO 96 08113 A (BYLON CO LTD ;C)	10 NACK Y	1-67
	(US); MAGILTON JERRY E JR (US)	) 14 March	
	cited in the application		
	see claims 18-27		
	see page 4, line 1 - line 13		
	see page 5, line 3 - line 11 see page 7, line 26 - line 36		,
	see page 15, line 20 - page 17,	line 30	
Υ	<del></del> '		
•	FR 2 596 605 A (VANDAMME JACQUES) 2 October 1987		1–67
	see page 5, line 14 - page 6, 1	ine 37	
	see page 8, line 19 - page 8, l	ine 29	
ĺ			
		·	
j			
	er documents are listed in the continuation of box C.	Patent family members are listed in	n annex.
	egories of cited documents :	"T" later document published after the inter	matte not fill a date
'A" docume: conside	nt defining the general state of the art which is not ered to be of particular relevance	or priority date and not in conflict with cited to understand the principle or the	the application but
"E" earlier document but published on or after the international filing date		invention "X" document of particular relevance; the c	
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publicationdate of another cited on extractions.		cannot be considered novel or cannot involve an inventive step when the do	be considered to
CHEMOT	of other special reason (as specified)	"Y" document of particular relevance; the cannot be considered to involve an inv	aimed invention
OCIOI III		ments, such combined with one or mo ments, such combination being obviou	re other such docu-
P* document published prior to the international filing date but later than the priority date claimed		in the art. "&" document member of the same patent if	
Date of the a	ctual completion of theinternational search	Date of mailing of the International sear	
12	May 1998	20/05/1998	·
lame and mailing address of the ISA		Authorized officer	
	European Patent Office, P.B. 5818 Patentlaan 2 NL - 2290 HV Riiswiik	Aminited Officer	
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nt, Fax: (+31-70) 340-3016	Gardiner, A	
	**************************************	and writer, A	į

2

Form PCT/ISA/210 (second sheet) (July 1992)

INTERN	NATIONAL SEAR	CH REPORT		onal Application No US 98/00513	
Patent document cited in search report	Publication date	Patent family member(s)		Publication date	
WO 9608113 A	14-03-96	US 5566353 AU 3508995 GB 2307820	5 A	15-10-96 27-03-96 04-06-97	
FR 2596605 A	02-10-87	NONE	·		

Form PCT/ISA/210 (patent family annex) (July 1992)